
Accessing and Understanding the TMU© On-Line Reports

# Sign in to your TMU© account using your secure Username or Email and Password.




# **Available Reports**

| Reports                                                                  |                                                                                         |      |
|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|------|
| Testing & Training Information on tests and trainings that have occurred | Attrition Rate  Details about trainings and count of reasons for not completing them    | VIEW |
|                                                                          | Knowledge Detail  Pass rates per subject and list of most often missed vocabulary words | VIEW |
|                                                                          | No Show List of tests marked as No Show                                                 | VIEW |
|                                                                          | Pass / Fail  Details test results of students and where they trained                    | VIEW |
|                                                                          | Retake Summary  Details pass rates for an exam on a given try (1,2,3, etc)              | VIEW |
|                                                                          | Skill Detail  Pass rates for skill tasks and individual steps in those tasks            | VIEW |
|                                                                          | Testing Trends  Totals and pass rates per month for trainings and exams                 | VIEW |
|                                                                          | Training Testing Interim  Shows length of time from training completion to first test   | VIEW |

Accessing and Understanding the TMU© On-Line Reports

Within each report, you can select the filters (date range, etc.) you want.



# **Explaining the Reports**

# **Attrition Rate**


Details about trainings and count of enrolled, active, successfully completed and not successfully completed.

**TOTAL** = total number of candidates enrolled in training in the time frame selected.

**CURRENT** = number of candidates who are still attending training

**PASSED** = number of candidates that have successfully completed the training program and are now eligible to test.

**FAILED** = number of candidates who did not successfully complete training.



# **Knowledge Detail**

Pass rates per subject and list of most often missed vocabulary words.

This report can be utilized to see where program weaknesses are for the knowledge exam.

Percentages for each test plan subject area for your program.

| PASSED | SUBJECT                            |
|--------|------------------------------------|
| 85%    | Resident Rights                    |
| 80%    | Communication                      |
| 78%    | Care Impaired                      |
| 77%    | Safety                             |
| 77%    | Infection Control                  |
| 76%    | Data Collection                    |
| 75%    | Role / Responsibility              |
| 75%    | Mental Health                      |
| 73%    | Basic Nursing Skills               |
| 71%    | Older Adult Growth and Development |
| 69%    | Disease Process                    |
| 69%    | Personal Care                      |

#### Accessing and Understanding the TMU© On-Line Reports

Candidates have missed test items whose question or correct answer contain, reference, or imply these vocabulary words or phrases.

**Missed %:** The probability of missing that item.

**Vocabulary Summary Note**: The number in parentheses (#) presented in the vocab column behind the vocabulary word represents the number of times items referencing the given vocabulary terms appeared.

Study focus should be given to topics with a high probability of missing (relative to your cut score) that have been administered a larger number of times.

- **Example by 91% Missed: unconscious (22)** -- The vocab word 'unconscious' was seen 22 times and the probability of a candidate getting the question incorrect was 91%.
- ❖ Example by 0% Missed: nutrition (4) -- The vocab word 'nutrition' was seen 4 times and the probability of a candidate getting the question incorrect was 0% meaning questions with this vocab word were not missed by any candidates.

|        | NAME:                                                                                              |
|--------|----------------------------------------------------------------------------------------------------|
| MISSED | VOCAB                                                                                              |
| 91%    | unconscious (22), oral care (22)                                                                   |
| 86%    | adaptive device (22), diets (21)                                                                   |
| 83%    | aspiration (59)                                                                                    |
| 78%    | observation (36)                                                                                   |
| 75%    | ramps (16), hand tremors (4), moving (4)                                                           |
| 71%    | care planning (41), hormones (21)                                                                  |
| 70%    | Maslow (37), basic needs (37)                                                                      |
| 68%    | bradycardia (22)                                                                                   |
| 66%    | pressure ulcer (128)                                                                               |
| 65%    | mouth care (85), pronation (20)                                                                    |
| 63%    | shearing (16)                                                                                      |
| 60%    | gerontology (20)                                                                                   |
| 59%    | tachycardia (22)                                                                                   |
| 58%    | safety (40)                                                                                        |
| 57%    | sexual harassment (21)                                                                             |
| 55%    | non-verbal communication (22), foot drop (22)                                                      |
| 54%    | reporting (130), urinary system (24)                                                               |
| 53%    | breathing (72)                                                                                     |
| 51%    | mental health (37)                                                                                 |
| 50%    | hydration (4), choking (4), physical needs (22), comfort care (4), delegation (20), validation (4) |
| 48%    | rectal (21)                                                                                        |
| 46%    | walker (41)                                                                                        |
| 45%    | types of isolation (22)                                                                            |
| 44%    | cc's in an ounce (16), admitting resident (82), lift/draw sheet (25)                               |
| 43%    | hand washing (21), aseptic (21)                                                                    |
| 42%    | isolation (26)                                                                                     |
| 40%    | edema (20), elastic stockings (20), aging process (78), restraint alternative (20), slander (42)   |
| 38%    | anti-embolitic stocking (16), subjective data (21)                                                 |
| 36%    | infection (42), bladder training (22)                                                              |
| 35%    | incontinence (60), musculoskeletal system (40), dietitian (37)                                     |
| 34%    | wheelchair safety (53), nutrients (41)                                                             |
| 33%    | disrespect (3), toileting schedule (21), falls (21), resident abuse (21)                           |
| 32%    | central nervous system (22), HIPAA (22)                                                            |
| 31%    | initial observations (16), resident identification (16), output (16)                               |

# Accessing and Understanding the TMU© On-Line Reports

| 29% | blindness (38), Parkinson's (62), abduction (21), depression (121)                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 28% | blood pressure (88), mechanical lift (57)                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 27% | side rails (22), temperature (37)                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 25% | treating residents with respect (4), passive (20), resident independence (40), digestion (4), fraud (16), assault (4), positioning (85), subjective (4), MDS (4), psychological needs (4), resident belongings (4), suicide (4), dysphagia (16), bowel program (4), diabetes (48), pain (4), Fowler's (16)                                                                                                                                                                               |
| 24% | responding to resident behavior (82) , hypertension (21)                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 23% | prosthesis (66), ambulation (90), bathing (47), infection control (86), abdominal thrust (22), personal items (22)                                                                                                                                                                                                                                                                                                                                                                       |
| 22% | Alzheimer's (235), fire safety (50)                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 21% | appropriate response (42), radial (42), standard precautions (52), dentures (98), hair care (62), fluid intake (24)                                                                                                                                                                                                                                                                                                                                                                      |
| 20% | body mechanics (20), oxygen (66), vomitus (20), vomitus (20), emesis basin (20), cultural (45)                                                                                                                                                                                                                                                                                                                                                                                           |
| 19% | morning care (16), force fluid (21), vision change (16), contamination (16), linen (16), insulin (16), intake (21), accidents (16), white blood cells (59), aggressive resident (21), Alzheimer's disease (21)                                                                                                                                                                                                                                                                           |
| 18% | hearing aid (62), ADL (22), policy book (38), call signal (22)                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 17% | respiration (24), dehydration (36), feeding (96), dementia (101)                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 16% | clear liquid diet (63)                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 15% | smoking (41), respectful treatment (20), confidentiality (20), eye glasses (20)                                                                                                                                                                                                                                                                                                                                                                                                          |
| 14% | dry skin (43), shaving (49), measuring height (22), neglect (21), undressing (21)                                                                                                                                                                                                                                                                                                                                                                                                        |
| 13% | catheter (16), bargaining (16), grieving process (98), vital signs (16), disinfection (8), clarification (16)                                                                                                                                                                                                                                                                                                                                                                            |
| 12% | dying (68), documentation (58), pulse (41), range of motion (41)                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 11% | confused resident (61), restraint (81)                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 10% | orientation (21), communication (197), rights (61), privacy (21)                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 9%  | prosthetic device (57), perineal care (104), transfers (77), apnea (22), phone etiquette (22), survey (35)                                                                                                                                                                                                                                                                                                                                                                               |
| 8%  | restorative care (59), indwelling catheter (25), urine (25), care plan (24), nursing assistant's role (36)                                                                                                                                                                                                                                                                                                                                                                               |
| 7%  | restorative (43)                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 6%  | dialysis (16), catheter care (16), disoriented (16), sundowning (16), empathy (16)                                                                                                                                                                                                                                                                                                                                                                                                       |
| 5%  | arthritis (20), sexual needs (20), medical record (21), nail care (37), tube feeding (21), visual impairment (20), loose teeth (42), unaffected (20), seizure (58)                                                                                                                                                                                                                                                                                                                       |
| 4%  | dressing (100), gestures (25)                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 3%  | stroke (40), constipation (36)                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 2%  | sharps container (43), weight (45), gifts (47), charge nurse (43), NPO (46)                                                                                                                                                                                                                                                                                                                                                                                                              |
| 0%  | nutrition (4), weighing (4), resident right (25), skin integrity (4), competency evaluation program (4), indwelling catheter (4), paralysis (4), resident's chart (16), spiritual needs (22), chain of command (4), feeding tubes (4), dilate (16), affected side (22), stress (20), tub bath (4), scope of practice (36), hallucination (20), PASS (42), free from disease (20), denture care (16), oxygen concentrator (22), legal responsibilities (22), urinary tract (20), CVA (40) |

# **No Show**

List of tests marked as No Show.

For students who have No Showed a test event, the following information is shown:

• Test date: Date of test event

• Student's name: Linked to student's record

Test Event #: Linked to the event
 Attempt #: Linked to the attempt
 Type of test: Knowledge or skills



## Accessing and Understanding the TMU© On-Line Reports

# Pass / Fail

Details test results of students.

### **Knowledge Exam:**

- Records: Number of knowledge exams attempted.
- Pass: Pass rate on the knowledge exam.
- **Variance**: Variance from the statewide mean pass rate. For example, if your pass rate is 47% and the variance is -19 then the state mean rate for the same period was 66%.

#### **Skills Exam:**

- **Skill**: Number of skill exams attempted.
- Pass: Pass rate on the skill exam.
- **Variance**: Variance from the statewide mean pass rate. For example, if your pass rate is 74% and the variance is -5 then the state mean rate for the same period was 79%.
- **Total Students**: Number of candidates tested in either knowledge or skills during the selected date range.
- Overall Pass: Overall pass rate for candidates that tested during this time frame.

The bottom row of figures is the state statistics for comparison: 4823 number of knowledge exam attempts state wide with a 66% pass rate / 4504 skills exam attempts state wide with a pass rate of 79% / 4214 overall number of candidates tested in either knowledge or skills state wide with an overall state pass rate of 72%

| STNA - KNOW | LEDGE  |          | STNA - SKILL |        |          |                |              |
|-------------|--------|----------|--------------|--------|----------|----------------|--------------|
| RECORDS     | PASS   | VARIANCE | RECORDS      | PASS   | VARIANCE | TOTAL STUDENTS | OVERALL PASS |
| 75          | 46.67% | -19.04%  | 61           | 73.77% | -5.05%   | 56             | 58.93%       |
| 4823        | 65.71% |          | 4504         | 78.82% |          | 4214           | 72.40%       |

Candidates are listed individually for the time frame selected showing the candidate's completion date, test date, status (pass or fail) and exam component taken.

| NAME           | CERTIFICATION | TRAINING<br>COMPLETED | TEST DATE  | STATUS | EXAM              |
|----------------|---------------|-----------------------|------------|--------|-------------------|
| Candidate Name |               | 09/18/2020            | 09/17/2020 | Failed | Knowledge<br>STNA |
|                |               | 09/03/2020            | 09/03/2020 | Failed | Knowledge<br>STNA |
|                |               | 08/03/2020            | 08/03/2020 | Passed | Skill<br>STNA     |
|                |               | 08/03/2020            | 08/03/2020 | Failed | Knowledge<br>STNA |

## Accessing and Understanding the TMU© On-Line Reports

# **Retake Summary**

Details pass rates for an exam on a given try (1,2,3, etc...).

- **First**: Number of candidates that attempted the knowledge or skill exam for the first time during this time frame.
- Pass %: The first attempt pass rate.
- **Second**: Number of candidates that attempted the respective exam for the second time during this time frame.
- Pass %: The second attempt pass rate.
- **Third**: Number of candidates that attempted the respective exam for the third time during this time frame.
- Pass %: The third attempt pass rate.

# Knowledge Exam:

| TRAINING PROGRAM      | FIRST | PASS % | SECOND | PASS % | THIRD | PASS % |
|-----------------------|-------|--------|--------|--------|-------|--------|
| TRAINING PROGRAM NAME | 15    | 80.00% | 4      | 65.00% | 2     | 50.00% |

#### Skill Exam:

| TRAINING PROGRAM      | FIRST | PASS %  | SECOND | PASS % | THIRD | PASS %  |
|-----------------------|-------|---------|--------|--------|-------|---------|
| TRAINING PROGRAM NAME | 10    | 100.00% | 3      | 66.67% | 1     | 100.00% |

## **Skill Detail**


Pass rates for skill tasks and individual steps in those tasks.

This report can be utilized to see where program weaknesses are for the skills exam by task and then broken down by each step in the tasks.

For each skill task in the State approved skill set note the **number** of candidates trained at your site that tested on the respective task during the requested time frame. Also note the **passing rate** for those candidates and how that compares to the statewide pass rate mean during that same time frame. For example, if your pass rate for a skill task is 100% and the **variance** is 5%, then the state mean would have been 95%.

Example tasks:


| TASK                                                             | TESTED | PASSING | VARIANCE |
|------------------------------------------------------------------|--------|---------|----------|
| Changing Adult Brief and Perineal Care for a Male w/HW (10-2020) | 4      | 100.00% | 13.22%   |
| Positioning Resident on Side (10-2020)                           | 1      | 100.00% | 18.60%   |
| PPE and Mouth Care (10-2020)                                     | 14     | 100.00% | 4.91%    |
| Bedpan/Fracture Pan and Output w/HW (10-2020)                    | 5      | 100.00% | 7.48%    |
| Empty Urinary Drainage Bag w/HW (10-2020)                        | 3      | 100.00% | 6.00%    |
| Stand/Pivot/Transfer W/C to Bed using a GB (10-2020)             | 1      | 100.00% | 16.95%   |
| Range of Motion One Shoulder (10-2020)                           | 1      | 100.00% | 11.24%   |
| Ambulation using a Gait Belt (10-2020)                           | 1      | 100.00% | 5.00%    |
| Range of Motion Hip & Knee (10-2020)                             | 3      | 100.00% | 3.80%    |
| Making an Occupied Bed (10-2020)                                 | 3      | 100.00% | 6.78%    |
| Dressing a Bedridden Resident (10-2020)                          | 1      | 100.00% | 10.00%   |
| PPE and Partial Bed Bath - Face/Arm/Hand/Underarm (10-2020)      | 2      | 100.00% | 1.72%    |
| Denture Care (10-2020)                                           | 2      | 100.00% | 1.41%    |
| Antiembolic Stocking (10-2020)                                   | 2      | 100.00% | 5.88%    |
| Ambulation with Walker (10-2020)                                 | 2      | 100.00% | 8.70%    |
| Pulse and Respirations (10-2020)                                 | 2      | 50.00%  | -30.82%  |
| Catheter Care Female w/HW (10-2020)                              | 2      | 50.00%  | -37.57%  |
| Perineal Care Female w/Hand Washing (10-2020)                    | 2      | 50.00%  | -31.02%  |
| Nail Care One Hand (10-2020)                                     | 0      | 0%      | -90.32%  |
| Stand/Pivot/Transfer Bed to WC using a GB (10-2020)              | 0      | 0%      | -93.06%  |
| Hair Care (10-2020)                                              | 0      | 0%      | -95.35%  |
| Weighing an Ambulatory Resident (10-2020)                        | 0      | 0%      | -76.00%  |
| PPE and Feeding a Dependent Resident (10-2020)                   | 0      | 0%      | -85.4    |



If you check mark the box next to INCLUDE STEPS you will get the details of the steps for each task.

### Accessing and Understanding the TMU© On-Line Reports

For every step on each skill task in the State approved skill set is the passing rate for your candidates for that step.



## **Testing Trends**

Totals and pass rates per month for trainings and exams.

- For each month in the selected range for the knowledge exam and skill exam note the total number of candidates that attempted each component and the respective pass rates for each component.
- For each month in the selected range also no the total number of no-shows and that number represented as a percentage of all candidates tested.

Example: 28 candidates attempted the knowledge test in July 2020. 12 candidates passed (43%), 13 candidates failed (46%) and 3 candidates no-showed (11%).

Knowledge Exam Example:

| NA Knowledge |             |             |            |       |
|--------------|-------------|-------------|------------|-------|
| MONTH        | PASS        | FAIL        | NO SHOW    | TOTAL |
| Jul 2020     | 12 (42.86%) | 13 (46.43%) | 3 (10.71%) | 28    |
| Aug 2020     | 5 (31.25%)  | 9 (56.25%)  | 2 (12.50%) | 16    |
| Sep 2020     | 7 (46.67%)  | 6 (40.00%)  | 2 (13.33%) | 15    |
| Oct 2020     | 10 (45.45%) | 11 (50.00%) | 1 (4.55%)  | 22    |
| Nov 2020     | 4 (36.36%)  | 6 (54.55%)  | 1 (9.09%)  | 11    |

# Accessing and Understanding the TMU© On-Line Reports

## Skills Exam Example:

| NA Skill |             |            |            |       |
|----------|-------------|------------|------------|-------|
| MONTH    | PASS        | FAIL       | NO SHOW    | TOTAL |
| Jul 2020 | 17 (62.96%) | 7 (25.93%) | 3 (11.11%) | 27    |
| Aug 2020 | 7 (63.64%)  | 2 (18.18%) | 2 (18.18%) | 11    |
| Sep 2020 | 7 (58.33%)  | 4 (33.33%) | 1 (8.33%)  | 12    |
| Oct 2020 | 14 (87.50%) | 2 (12.50%) | 0 (0.00%)  | 16    |
| Nov 2020 | 0           | 0          | 0          | 0     |

# **Training Testing Interim**

Shows length of time from training completion to first test.

**DAYS BETWEEN:** Days from training completion date to first test attempt on the knowledge or skills exam.

**TRAINING COMPLETION:** Date of training completion.

FIRST TEST: Date of first attempt on knowledge or skills exam.

| STUDENT V        | DAYS BETWEEN | TRAINING COMPLETION | FIRST TEST           |
|------------------|--------------|---------------------|----------------------|
| STODENT          | DAYS BETWEEN | TRAINING COMPLETION | FIRST TEST           |
|                  | 7            | 12/05/2023          | 12/12/2023 Skill     |
| List of Students | 14           | 12/08/2023          | 12/22/2023 Skill     |
|                  | 16           | 12/11/2023          | 12/27/2023 Knowledge |
|                  | 11           | 12/15/2023          | 12/26/2023 Skill     |