# OHIO MOCK SKILLS 2012

SKILL: Ambulation using a Gait Belt DATE: PASS: FAIL:

- Identifies that hands should be washed
- Explains procedure to be preformed and obtains gait belt
- \*Locks bed brakes to ensure resident's safety

Lowers bed to a position so that resident's feet will rest comfortably flat on the floor when sitting on the bed

Brings resident to sitting position with feet flat on the floor and places gait belt around waist to stabilize trunk

Assists resident to put on non-skid slippers

Bring resident to standing position, using proper body mechanics

- With one hand grasping gait belt and the other stabilizing resident by holding fore-arm, shoulder,
- or using other appropriate method to stabilize, ambulates resident at least 10 steps
- \*Locks wheelchair brakes to ensure resident's safety
- Assists resident to pivot and sit in a controlled manner that ensure safety;. Removes gait belt
- Maintains respectful, courteous interpersonal interaction at all times
- Leaves call light or signaling device within easy reach of the resident's
- Identifies that hands should be washed

SKILL	Ambulation with Wa	alker	DATE:	PASS:	FAIL:

- Identifies that hands should be washed
- Explains procedure to resident
- \*Locks bed brakes to ensure resident's safety
- \*Locks wheel chair brakes to ensure resident's safety
- Brings resident to sitting position
- Assists resident in putting on non-skid slippers
- Positions walker
- Assists resident to pivot and sit, using correct body mechanics
- Positions self behind and slightly to side of resident
- Safely ambulates resident at least 10 steps
- Assists resident to pivot and sit, using correct body mechanics
- Maintains respectful, courteous interpersonal interaction at all times
- Leaves call light or signaling device within easy reach of the resident's
- Identifies that hands should be washed

	SKILL	Antiembolic Stocking	DATE:	PASS:	FAIL:	
--	-------	----------------------	-------	-------	-------	--

- Identifies that hands should be washed
- Explains procedure to resident
- Provides for resident's privacy by only exposing one leg
- Provides for resident's privacy by pulling privacy curtain
- Rolls, gathers or turns stocking down inside out to the heel
- Place stocking over the toes, foot, and heel and rolls or pulls up the leg
- Checks toes for possible pressure from stocking and adjusts as needed
- \*Leaves resident with stockings that are smooth and wrinkle free
- Maintains respectful, courteous interpersonal interaction at all times
- Leaves call light or signaling device within easy reach of the resident's
- Identifies that hands should be washed

### Bedpan/Fracture Pan and Output DATE: PASS: FAIL: SKILL

- Identifies that hands should be washed
- Explains procedure to resident

Provides privacy for resident pulls curtain

\_\_Candidate puts on gloves

\_\_Positions resident on bedpan/fracture pan with pan in correct orientation

Positions resident on pan using with pan in correct boy orientation

\_\_\_Raises head of bed to comfortable level

Leaves tissue within reach of resident

\_\_\_Candidate steps away from the resident

\_\_\_\_RN observer identifies resident is finished

\_\_\_Candidate returns to the resident

\_\_\_Candidate gently removes bedpan/fracture pan

\_\_Candidate holds bedpan/fracture pan while observer adds a known quantity of fluid

\_\_Candidate places graduate on flat surface at eye level to measure output

Empties graduate, rinses and dries bedpan/fracture pan and graduate and returns to storage.

Washes/assists resident to wash ans dry hands with wet wash cloth and towel

- \_\_\_Remove glove turning inside out and disposes of gloves in an appropriate container
- Candidate records output on signed recording sheet

\*Candidate's measurement reading is within 25cc/mL of RN Observer's reading

Maintains respectful, courteous interpersonal interaction at all times

Leaves call light or signaling device within easy reach of the resident's

Identifies that hands should be washed

## SKILL\_Catheter Care\_\_\_\_\_DATE:\_\_\_\_PASS:\_\_\_FAIL:\_\_\_

- \_\_Identifies that hands should be washed
- Raises side rail opposite working side of bed or ask test observer to stand on the opposite side of the bed
- \_Provides privacy for resident pulls curtain and puts on gloves
- \_\_\_\_\_\_Fills basin with comfortably warm water
- Position a bath blanket or clean sheet over resident to maintain privacy
- Turn mannequin and places incontinence pad under resident/mannequin. Exposes only the perineum area

Verbalizes the act of checking to see that the tubing is not kinked and the urine can freely flow into the drainage bag

\_\_\_Uses soap and water to carefully wash around the drainage tube where it exits the urethra

\_\_\_\*Hold catheter near the urethra to prevent tugging on catheter

- \_\_\_Cleans 3-4 inches from the urethra down the drainage tube
- \_\_\_\_\*Cleans with strokes only away from the urethra
- Uses clean portion of cloth for each stroke
- \*Rinses with strokes only away from the urethra
- \_\_\_\_\_Rinses using clean portion of the washcloth for each stroke
- \_\_\_Pats dry with a clean towel
- \_\_\_\_\_Does not allow the tube to be pulled at any time during the procedure
- \_\_\_\_Replaces top cover over resident
- \_\_\_\_Removes bath blanket
- \_\_\_Removes incontinence pad
- \_\_\_Disposes of linens in the linen hamper
- \_\_\_Removes gloves turning inside out
- \_\_\_\_Disposes of glove
- Empties, rinses and dries equipment
- \_\_\_\_Return equipment to storage

- Leaves resident in a position of safety and comfort
- \_\_Leaves call light or signaling device within easy reach of the resident's
- Maintains respectful, courteous interpersonal interaction at all times
- \_\_Identifies that hands should be washed

# SKILL \_\_\_\_\_Denture Care \_\_\_\_\_\_DATE: \_\_\_\_\_PASS: \_\_\_\_FAIL: \_\_\_\_\_ \_\_\_\_\_\_Identifies that hands should be washed \_\_\_\_\_\_Explains procedure to resident \_\_\_\_\_\_Lines sink with a protective lining that would help prevent damage to the dentures \_\_\_\_\_\_Puts on gloves \_\_\_\_\_\_Removes dentures from cup \_\_\_\_\_\_Handles Dentures carefully to avoid damage \_\_\_\_\_\_Applies toothpaste Thoroughly brushes denture inner of upper and/ or lower dentures (Toothettes may be utilized

- instead of a toothbrush as long as all of the surfaces listed above are cleaned)
- \_\_\_\_\_Thoroughly brushes denture outer of upper and/ or lower dentures (Toothettes may be utilized instead of a toothbrush as long as all of the surfaces listed above are cleaned)
- \_\_\_\_Thoroughly brushes denture chewing surfaces of upper and/ or lower dentures (Toothettes may be utilized instead of a toothbrush as long as all of the surfaces listed above are cleaned) Rinses denture using clean cool water
- \_\_\_\_\_\_\_ Rinses denture using clean cool w
- \_\_\_Places dentures in rinsed cup
- \_\_Adds cool clean water to denture cup
- \_\_Cleans and dries equipment and returns to storage
- \_\_\_Discards protective lining in appropriate container
- \_\_\_Removes gloves, turning inside out and disposes of glove in the appropriate container
- \_\_\_Maintains respectful, courteous interpersonal interaction at all times
- \_\_Leaves call light or signaling device within easy reach of the resident's
- \_\_Identifies that hands should be washed

	SKILL	Dressing a Resident	DATE:	PASS:	FAIL:
--	-------	---------------------	-------	-------	-------

- \_\_Identifies that hands should be washed
- \_\_Explains procedure to resident
- \_\_Provides privacy for resident pulls curtain
- \_\_Keeps resident covered while removing gown
- \_\_\_Removes gown from unaffected side first
- \_\_Places used gown in laundry hamper
- \_\_\_\*When dressing the resident in a shirt or blouse, the candidate inserts his/her hand through the sleeve of the shirt or blouse and grasps the hand of the resident, dressing from the weak side first
- \_\_\*The candidate assists the resident to raise buttocks or turns resident from side to side and draws the pants over the buttock and up to the resident's waist, always dressing from the weak side first When mutting on the resident's cashe the condidate draws the cocks on the resident's fact until
- When putting on the resident's socks, the candidate draws the socks up the resident's foot until they are smooth
- \_\_\_\_When putting on the resident's shoes, the candidate slips each shoe on and securely fastens the shoe with velcro tabs or ties
- \_\_Leaves the resident comfortable and properly dressed
- \_\_\_\_Maintains respectful, courteous interpersonal interaction at all times
- \_Leaves call light or signaling device within easy reach of the resident's
- \_\_Identifies that hands should be washed

SKILL Urinary Drainage Bag

Identifies that hands should be washed

Explains procedure to resident

Provides privacy for resident pulls curtain

Candidate puts on gloves

Places a barrier on the floor under the drainage bag

Places the graduate on the previous places barrier

Opens the drain to allow the urine to flow into the graduate

Avoids touching the graduate with the tip of the tubing

Close the drain

\*Wipes the drain with antiseptic wipe

Replaces drain in holder

With graduate at eye level, measure output

Empties graduate into toilet, if bed side toilet is available

Cleans equipment

Dries equipment

Return equipment to storage

Turns gloves inside out at they are removed

Disposes of gloves in the appropriate container

Leaves resident in a position of safety and comfort

Records the output in cc/ml on signed recording sheet

\*Candidate's measurement is within 25cc/mls of Observer's measurement

Places call light within reach of resident

Maintains respectful, courteous interpersonal interaction at all times

Identifies that hands should be washed

### SKILL Feeding a Dependent Resident DATE: PASS: FAIL:

Identifies that hands should be washed

Explains procedure to resident

Identify the resident name against the diet card and verbalizing that the resident have received the correct tray

Positions the resident in an upright position

Protects clothing from soiling by using napkin, clothing protector or towel per resident request

Washes and drys resident's hands and face before feeding

Discards soiled linen correctly

Candidate positions self at eye level sitting down and facing the resident while feeding resident

Describes the food being offered to the resident

Offers each fluid frequently

Offers small amounts of food at a reasonable rate

Allows resident time to chew and swallow

Wipes resident's hands and face during meal at least one time

Leave resident clean and in a position of comfort

Records intake in percentage of total solid food eaten on signed recording sheet

Evaluator records his/her calculation

\*Candidate is within 25% of the solids

Candidate records sum of fluid in cc/ml on signed recording sheet

Evaluator records his/her own calculation

\*The candidate's calculation is within 60cc/ml of the fluids consumed

Maintains respectful, courteous interpersonal interaction at all times

Leaves call light or signaling device within easy reach of the resident's Identifies that hands should be washed

SKILL Hair Care Identifies that hands should be washed Explains procedure to resident Places towel on shoulders.	DATE		
Identifies that hands should be washed Explains procedure to resident	DAIE:	PASS:	FAIL:
1 1			
Places towel on shoulders			
Ask resident how they would like their hair co	mbed		
Combs/brushes hair gently and completely			
Discards linen in appropriate container			
Leaves hair neatly brushed/ combed or styled			
Maintains respectful, courteous interpersonal i	nteraction at al	ll times	
Leaves call light or signaling device within ea			
Identifies that hands should be washed	2		
		<b>D</b> + 66	
SKILLOccupied Bed	DATE:	PASS:	FAIL:
Identifies that hands should be washed			
Gathers linen			
Transport linen correctly			
Places clean linen on top of bedside stand, on	over-bed table,	over back of c	hair or drapes
over foot of bed			
Explains procedure to resident			
Provides privacy pulls curtain		1	1 .1
*Raises side rail opposite working side of the	bed or ask test	observer to sta	nd on the
opposite side of the bed			
Raises bed between mid-thigh and waist level			
Resident is to remain covered at all times	· 1 · 1 · C / /		
Assists resident to roll onto side toward raise s			
Rolls or fan folds soiled line, soiled side inside			· , · • •
Places clean bottom sheet along the center of t	he bed and roll	s or tan told li	nen against resident
back and unfold remaining half			
back and unfold remaining half Secures two fitted corners			
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to		e working side	of the bed
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line	en, preventing	e working side trauma and a v	of the bed
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla	en, preventing	e working side trauma and a v	of the bed
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform	en, preventing	e working side trauma and a v	of the bed
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper	en, preventing t aces in hamper	e working side trauma and a v	of the bed
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto	en, preventing t aces in hamper	e working side trauma and a v	of the bed
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners	en, preventing t aces in hamper	e working side trauma and a v	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea	en, preventing taken, preventing taken ta	e working side trauma and a v	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea making sure the resident is unexposed at all tim	en, preventing t aces in hamper om linen d over covered nes	e working side trauma and a ve resident, remo	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea making sure the resident is unexposed at all tin Tucks in top linen and blanket or bedspread at	en, preventing t aces in hamper om linen d over covered nes	e working side trauma and a ve resident, remo	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea making sure the resident is unexposed at all tin Tucks in top linen and blanket or bedspread at Makes mitered corners at the foot of bed	en, preventing t aces in hamper om linen d over covered nes foot of the bed	e working side trauma and a ve resident, remo	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea making sure the resident is unexposed at all tin Tucks in top linen and blanket or bedspread at Makes mitered corners at the foot of bed Applies clean pillowcase, with zippers and/or	en, preventing t aces in hamper om linen d over covered nes foot of the bec tags to inside	e working side trauma and a ve resident, remo	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea making sure the resident is unexposed at all tin Tucks in top linen and blanket or bedspread at Makes mitered corners at the foot of bed Applies clean pillowcase, with zippers and/or Gently lifts resident's head when replacing the	en, preventing t aces in hamper om linen d over covered nes foot of the bec tags to inside	e working side trauma and a ve resident, remo	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea making sure the resident is unexposed at all tin Tucks in top linen and blanket or bedspread at Makes mitered corners at the foot of bed Applies clean pillowcase, with zippers and/or Gently lifts resident's head when replacing the Lowers bed if it was raised	en, preventing t aces in hamper om linen d over covered nes foot of the bed tags to inside pillow	e working side trauma and a ve resident, remo	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea making sure the resident is unexposed at all tin Tucks in top linen and blanket or bedspread at Makes mitered corners at the foot of bed Applies clean pillowcase, with zippers and/or Gently lifts resident's head when replacing the Lowers bed if it was raised Returns side rails to lowered position if side raised	en, preventing t aces in hamper om linen d over covered nes foot of the bec tags to inside pillow uils were used	e working side trauma and a ve resident, remo	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea making sure the resident is unexposed at all tin Tucks in top linen and blanket or bedspread at Makes mitered corners at the foot of bed Applies clean pillowcase, with zippers and/or Gently lifts resident's head when replacing the Lowers bed if it was raised Returns side rails to lowered position if side ra Maintains respectful, courteous interpersonal if	en, preventing to aces in hamper om linen d over covered mes foot of the bed tags to inside pillow alls were used nteraction at all	e working side trauma and a ve resident, remo	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea making sure the resident is unexposed at all tin Tucks in top linen and blanket or bedspread at Makes mitered corners at the foot of bed Applies clean pillowcase, with zippers and/or Gently lifts resident's head when replacing the Lowers bed if it was raised Returns side rails to lowered position if side ra	en, preventing to aces in hamper om linen d over covered mes foot of the bed tags to inside pillow alls were used nteraction at all	e working side trauma and a ve resident, remo	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper Pulls through and smoothes out the clean botto Secures other two fitted corners Places clean top linen and blanket or bedsprea making sure the resident is unexposed at all tin Tucks in top linen and blanket or bedspread at Makes mitered corners at the foot of bed Applies clean pillowcase, with zippers and/or Gently lifts resident's head when replacing the Lowers bed if it was raised Returns side rails to lowered position if side ra Maintains respectful, courteous interpersonal if	en, preventing to aces in hamper om linen d over covered mes foot of the bed tags to inside pillow alls were used nteraction at all	e working side trauma and a ve resident, remo	of the bed oid pain to resident
back and unfold remaining half Secures two fitted corners *Raises second side rail or ask test observer to Assists the resident to roll over the bottom line Removes soiled linen without shaking and pla Avoids touching linen to uniform Disposes of soiled linen in hamper	en, preventing t aces in hamper	e working side trauma and a v	of the bed

\_\_Identifies that hands should be washed

SKILLMaking Unoccupied Bed	DATE:	PASS:	FAIL:
Identifies that hands should be washed			
Gathers linen			
Transport linen correctly			
Places clean linen on top of bedside stand, on	over-bed table,	over back of	chair or drapes
over foot of bed			
Raises bed between mid thigh and waist level			
Removed soiled linen from bed without shakir	ig or contamina	iting uniform	
Places removed linen in hamper	and contarad		
Applies bottom fitted sheet, keeping it straight Makes bottom linen smooth and/or tight, free			
Places clean top linen and blanket or bedspread			
Tucks in top linen and blanket or bedspread at			
Makes mitered corners at the foot of the bed	1001 01 000		
Applies clean pillowcase with zippers and/or t	ags to inside of	pillowcase	
Leaves bed completely and neatly made		P	
Returns bed to lowest position if it was raised			
Identifies that hands should be washed			
SKILLMouth Care	DATE:	PASS:	FAIL:
Identifies that hands should be washed			
Explains procedure to the resident			
Provides for resident's privacy pulls privacy cu			
Drapes the chest with a towel to prevent soilin	-		
Candidate puts on gloves after all supplies hav	e been gathered	1	
Applies toothpaste to toothbrush	outer and above	ing surfaces	of all upper and
*Brushes resident's teeth, including the inner, of lower teeth. If available, toothettes may be uti		-	
the surfaces listed above are cleaned. (Candid			_
Cleans tongue	ate must verba	ize us the per	form the step)
Assists resident in rinsing mouth			
Wipes resident's mouth			
Removes soiled chest barrier			
Places soiled chest barrier in appropriate conta	iner		
Empties emesis basin			
Cleans and dries emesis basin			
Rinses toothbrush			
Returns emesis basin and toothbrush to storage	2		
Disposes of gloves properly			
Leaves resident in a position of safety and con			
Leaves call light or signaling device within eas	•		
Maintains respectful, courteous interpersonal i Identifies that hands should be washed			
SKILLNail Care	DATE:	PASS:	FAIL:
Identifies that hands should be washed			
Explains procedure to the resident			

Immerses nails in comfortably warm water and soaks for at least five minutes

(The five minutes may be verbalized)

\_\_\_Dries hand thoroughly, being careful to dry between fingers

\_\_\*Gently clean under nail with orange stick

\_\_Gently pushes cuticle back with wash cloth

Files each fingernail

Cleans Equipment

\_\_\_Returns equipment to storage

\_\_\_Discards soiled linen in linen hamper

\_\_\_Maintains respectful, courteous interpersonal interaction at all times

Leaves call light or signal device within easy reach of the resident's

\_\_Identifies that hands should be washed

SKILL Partial Bed Bath DATE: PASS: FAIL: Identifies that hands should be washed Explains procedure to resident Pulls privacy curtain Raises bed between mid thigh and waist level Covers resident with a bath blanket Fan folds Bed linens at least down to waist or moves linens to opposite side Removes resident's gown without exposing resident and disposes in linen hamper Fills basin with comfortably warm water Washes face WITHOUT SOAP Dries face Places towel under arm, exposing one arm Washes arm Washes hand Washes underarm Used soap for the previous three steps Rinses arm Rinses hand **Rinses underarm** Dries arm Dries hand Dries underarm Assists resident to put on a clean gown Empties, rinses and dries basin/s and returns equipment to storage Disposes of soiled linen in appropriate container Lowers bed if it was raised Maintains respectful, courteous interpersonal interaction at all times Leaves call light or signaling device within easy reach of the resident's Identifies that hands should be washed SKILL Perineal Care DATE: PASS: FAIL: Identifies that hands should be washed Explains procedure to resident (mannequin) Pulls privacy curtain Raises the bed between mid-thigh and waist level

\_\_\_Fills basin with comfortably warms water

Raises side rail opposite working of bed or ask the observer to stand on the opposite side of the bed Turns resident to side and places waterproof pad under resident's buttocks then returns resident to his/her back or raises hips and places waterproof pad under buttocks Places bath blanket on resident/mannequin Exposes perineum only Separates labia Uses water and soapy washcloth \*Clean both sides of labia from top to bottom Uses a clean portion of a washcloth with each stroke Rinses both sides from top to bottom Dries both side of the area from top to bottom In like manner, cleans middle of labia from top to bottom using a clean portion with each stroke Covers the exposed area with the bath blanket Assists resident to turn onto side away from the candidate With a new clean wash cloth, cleans the rectal area Uses, water, wash cloth and soap \*Cleans area from vagina to rectal area with single strokes Rinses area from vagina to rectal area Dries area from vagina to rectal area Removes water proof pad from under buttocks Position resident (mannequin) on their back Disposes of all soiled linen and bath blanket in an appropriate container Rinses and dries equipment Returns equipment to storage Disposes of gloves in appropriate container Lowers bed, if it was raised Lowers side rail, if it was used Leaves call light or signaling device within easy reach of the resident's Identifies that hands should be washed

### SKILL Position Resident on Left Side DATE: PASS: FAIL:

\_\_Identifies that hands should be washed

- Explains procedure to resident
- \_\_\_Pulls privacy curtain
- \_\_\_Positions bed flat
- Insures that the resident's face never becomes obstructed by the pillow
- \*Raises side rail on side of the bed or directs test observer to stand on opposite side of bed to provide for safety
- \_\_From the working side of be moves resident's head towards self
- From the working side of be moves resident's hips towards self
- From the working side of be moves resident's legs towards self
- Assists/turns resident on side
- Check to be sure resident is not lying on his/her down side arm
- \_\_\*Maintain correct body alignment (candidate must verbalize as they are checking)
- Places support devices under the candidate's head
- Places support devices under the candidate's upside arm

Places support deices behind back

- Places support devices between knees
- Maintains respectful, courteous interpersonal interaction at all times
- Leaves call light or signaling device within easy reach of the resident's
- \_\_Identifies that hands should be washed

### SKILL Range of Motion Hip & Knee DATE: PASS: FAIL:

\_\_Identifies that hands should be washed

\_\_\_Explains procedure to resident

- \_\_\_Pulls privacy curtain
- \_\_\_Positions resident supine
- \_\_\_Positions resident in good body alignment
- Correctly supports joints by placing one hand under the knee and the other hand under the ankle ROM for hip: moves the entire leg away from the body (Abduction)
- Moves the entire leg toward the body (adduction)
- Completes abduction and addduction of the hip three times
- Continues to correctly support joints
- Bends the resident's knee and hip toward the resident's trunk (flexing of the hip and knee at the same time)
- \_\_\_\_\_Straightens the knee and hip (extension of knee and hip at the same time)
- Completes flexion and extension of knee and hip three times
- \*Does not cause discomfort or pain
- \_\_\_\_\_Does not force any joint beyond the point of free movement candidate must ask if they are causing any pain or discomfort
- \_Leaves resident in a comfortable position
- Leaves call light or signaling device within easy reach of the resident's
- Maintains respectful, courteous interpersonal interaction at all times
- Identifies that hands should be washed

### SKILL\_\_Range of Motion One Shoulder\_\_\_\_ DATE:\_\_\_\_ PASS:\_\_\_ FAIL:\_\_\_\_

\_\_Identifies that hands should be washed

- \_\_\_Explains procedure to resident
- \_\_Pulls privacy curtain
- \_\_\_Positions resident supine
- Positions resident in good body alignment
- Correctly supports resident's joint by placing one hand under their elbow and the other hand under the resident's wrist
- \_\_\_Raises the resident's arm up away from the body (flexion)
- Brings the resident's arm back down to the resident's side (extension)
- Completes flexion and extension three times
- Continues same support for shoulder joint
- \_\_\_\_Moves the resident's entire arm out away from the body (abduction)
- \_\_\_Returns arm to the resident's arm to the side of the resident's body (adduction)
- \_\_Completes full range of motion for shoulder through abduction and adduction three times
- \_\_\*Does not cause discomfort or pain
- Does not force any joint beyond the point of free movement candidate must ask if they are causing any pain or discomfort

Leaves resident in a comfortable position

- \_Leaves call light or signaling device within easy reach of the resident's
- Maintains respectful, courteous interpersonal interaction at all times

\_\_Identifies that hands should be washed

### SKILL Transfer Bed to WC using Gait Belt DATE: PASS: FAIL:

- \_Identifies that hands should be washed
- \_Explains procedure to resident
- \_\_\_Positions wheelchair at the foot or head of bed
- \_\_\*Locks wheelchair brakes to ensure residents safety
- \_\_\_\*Locks bed brakes to ensure resident's safety
- \_Lowers bed to lowest position so resident's feet will be flat on floor
- Assists resident to a sitting position
- Assists resident in putting on non-skid slippers
- Places gait belt around waist
- Tightens gait belt, checks gait belt for tightness by slipping fingers between gait belt and resident
- Faces resident and grasps gait belt with both hands
- Brings resident to standing position, using proper body mechanics
- Assists resident to pivot and assists them to sit in the wheelchair, in a controlled manner that ensures resident's safety
- \_Removes gait belt
- Leaves call light or signaling device within easy reach of the resident's
- Identifies that hands should be washed

### SKILL\_Transfer WC to Bed using Gait Belt\_\_\_ DATE:\_\_\_\_\_ PASS:\_\_\_\_ FAIL:\_\_\_\_

- \_Identifies that hands should be washed
- \_\_Explains procedure to resident
- \_\_\_Positions wheelchair at the foot or head of bed
- \_\_\*Locks wheelchair brakes to ensure residents safety
- \_\_\_\*Locks bed brakes to ensure resident's safety
- Lowers bed to lowest position so resident's feet will be flat on the floor when the resident is transferred to the bed
- \_\_Place gait belt around waist to stabilize trunk
- \_\_\_\_\_\_Tightens gait belt, checks gait belt for tightness be slipping fingers between gait belt and resident
- While facing resident grasps gait belt with both hands and brings resident to standing position using proper body mechanics
- \_\_Assists resident to pivot in a controlled manner that ensures safety
- \_\_\_Assists resident to sit on the bed
- \_\_\_Removes gait belt
- \_\_Assists resident in removing non-skid slippers
- \_\_Assists resident to move to center of bed and lie down, supporting extremities as necessary
- \_\_\_Maintains respectful, courteous interpersonal interaction at all times
- \_Leaves call light or signaling device within easy reach of the resident's
- \_\_Identifies that hands should be washed

### SKILL\_\_TPR, Oral Digital\_\_\_\_\_ DATE:\_\_\_\_ PASS:\_\_\_ FAIL:\_\_\_\_

Identifies that hands should be washed

- Explains procedure to resident
- Correctly turns on digital oral thermometer

\_Gently inserts bulb end of the of thermometer in mouth under tongue

Hold thermometer in place for appropriate length of time

\_\_\_Removes thermometer

\_Candidate reads and records the temperature reading on signed recording sheet

\*Candidate's recorded temperature varies no more than .1 degree from test Observer's

Candidate wipes the thermometer clean with alcohol pad or discards sheath

Locates the radial pulse by placing tips of fingers on thumb side of the resident's wrist

\_\_Counts pulse for 60 seconds

\_Candidate records his/her reading on signed recording sheet

\_\*Candidate's recorded pulse rate is within 4 beats of test Observer's recorded rate

\_\_\_Candidate counts respiration for 60 seconds and records results on signed recording sheet

\_\_\_\_The Observer records both rate

\*The candidate's recorded respiration rate is within 2 breaths of the test Observer's

Maintains respectful, courteous interpersonal interaction at all times

\_\_Leaves call light or signaling device within easy reach of the resident's

Identifies that hands should be washed

### SKILL\_\_\_Weighing and Ambulatory Resident\_\_\_DATE:\_\_\_\_\_PASS:\_\_\_\_FAIL:\_\_\_\_

Identifies that hands should be washed

\_\_Explains procedure to resident

Balances (or zeros) scale as necessary before weighing resident

\*Insures resident's safety locks wheelchair brakes

Assists resident to stand and walks them to the scale

\_\_\_Assists resident to step on scale

Checks that resident is balanced and centered on scale with arms at side and not holding on to anything that would alter reading of the weight

\_\_\_Appropriately adjusts weights until scale is in a balance or observes analog scale

\_\_\_Returns resident to the wheelchair

\_\_Assists resident to sit in wheelchair

Records weight on signed recording sheet provided

\*Candidate's recorded weight varies no more than 2 lbs from the test Observer's reading

\_\_\_Maintains respectful, courteous interpersonal interaction at all times

\_\_Leaves call light or signaling device within easy reach of the resident's

\_\_\_Identifies that hands should be washed